FREE SAMPLE

The opening pages of

1973 Harley-Davidson Shovelhead Buyer's Guide

Read these pages exactly as they appear in the full guide.
Nothing here is rewritten or summarised — it is the product itself,
so you can judge the depth before you spend a dollar.

The full guide: https://ironheadguides.com/product/IH-HARLEY-SHOVELHEAD-1973

IronHead — instant PDF download after checkout.

IRONHEAD

The 1973 Harley-Davidson Shovelhead Buyer & Restoration Guide

KEY FACTS AT A GLANCE

SAMPLE EXCERPT — full guide available at the link on the cover sheet

Manufacturer History

The Shovelhead story starts in 1966. Harley-Davidson needed more power from its Big Twin to move the heavy Electra Glide dresser, and the answer was the Power Pac: new aluminum cylinder heads with larger valves and ports on the existing Panhead-style lower end, with the rocker boxes shaped like the business end of a coal shovel — the name every Harley fan knows today.

The first Shovelhead generation runs from 1966 through 1969: the generator (slabside) years. The generator hangs off the front of the engine cases, the ignition is breaker points, and ownership identification is the engine serial number. In 1970 the motor changed fundamentally — the alternator replaced the generator inside a redesigned cone-shaped timing case, the ignition points moved into the nose cone, and a nine-character VIN appeared. That cone motor is the second Shovelhead generation, and it runs all the way to 1984.

The model line grew with the motor. The 1971 FX Super Glide — Willie G. Davidson's factory custom combining the FL frame and 74-ci engine with a Sportster front end and the boat-tail rear — invented the cruiser category. The line expanded through the 1970s: electric-start FXE, the FXS Low Rider (mid-1977), the FXEF Fat Bob (1979), the belt-drive FXB Sturgis and FXWG Wide Glide and the all-new FLT Tour Glide (1980). Displacement grew from 74 cubic inches to an 80-ci option (mid-1978) and then the all-1340 line (1981). Carburetion moved from Linkert (1966) to Tillotson (1967–1970) to Bendix (1971–1975) to Keihin (1976 on). Breaker points gave way to Prestolite electronic ignition late in 1978. The 17-digit federal VIN arrived for 1981, and in June 1981 Harley's executives bought the company back from AMF. The FXR chassis (1982) brought rubber mounting and a 5-speed to the FX line, and in 1984 the Evolution engine arrived — ending the Shovelhead era that this guide covers.

Model History

This guide covers one model year only. The Shovelhead Big Twin line for the covered year is described in the key-facts section; model codes, carburetion, ignition, and chassis details are year-specific and must be verified against the year parts book. The through-line of the era is the cone motor introduced for 1970 (alternator, nose-cone points, nine-character VIN), refined year by year until the 1984 split between the final Shovelheads and the first Evolutions.

What Is Unique About 1973

FX gets discs and a single tank — the Super Glide gains a front disc brake (with rear disc) and the single 3.5-gallon tank for 1973, shedding the dual-tank look.

FL/FLH: last rear-drum year — a documented 1973 FLH1200 wears front disc and rear drum; the rear disc arrives with the 1974 models (Cycle World’s September 1973 new-season FLH test shows disc brakes at each wheel). A rear disc on a claimed-1973 FLH is a 1974+ swap.

Turn signals standard — federal lighting rules make turn signals standard equipment (some references say 1972; the federal effective date used here is the 1973 model year — see the corrections companion).

Record production — 1973 production reached a record high under AMF management (no model-by-model figure in the sources consulted).

What 1973 Did Not Have

- No rear disc on the 1973 FL/FLH (1974); no electric start on the FX (1974 FXE); no Keihin carburetor (1976).
- No dual Fat Bob tanks on a correct 1973 FX — the single 3.5-gallon tank is the year-correct piece (the Fat Bob returns on the 1979 FXEF).
- **Model year covered:** 1973 only (FL, FLH, FX). The FX-disc year; a record production year.
- **Engine:** 1,207 cc (74 cu in) air-cooled 45-degree OHV V-twin; 3.4375 x 4.00 in bore x stroke; 8.0:1 compression; cone motor with alternator.

SAMPLE EXCERPT — full guide available at the link on the cover sheet

- **Fuel system:** Bendix carburetor.
- **Ignition:** 12-volt battery and coil; breaker points in the nose cone.
- **Brakes:** The FX gains a front disc (with a rear disc) for 1973; the FL/FLH keep the front-disc/rear-drum combination for one final year — a documented 1973 FLH1200 wears front disc and rear drum.
- **FX change:** Single 3.5-gallon fuel tank replaces the dual Fat Bob tanks.
- **Turn signals:** Standard equipment under the federal lighting rules.
- **Starting:** Electric + kick (FL/FLH); kick only (FX).
- **Transmission:** 4-speed constant-mesh; right-foot shift; chain final drive; dry multi-plate clutch.
- **Identification:** 9-character VIN; year code H3.
- **Production:** A record high under AMF management (documented, no model-by-model figure published in the sources consulted).

1973 Technical Specification

- **Models covered:** the FL, FLH Electra Glide, and FX Super Glide
- **Engine:** 1,207 cc (74 cu in) air-cooled 45-degree OHV V-twin (Shovelhead)
- **Bore x stroke:** 3.4375 x 4.00 in (87.3 x 100.8 mm)
- **Compression ratio:** 8.0:1
- **Power:** 58 bhp @ 5,150 rpm (period spec-sheet data)
- **Carburetion:** Bendix
- **Ignition:** 12-volt battery and coil; breaker points in the nose cone
- **Starting:** Electric starter with kick-starter backup (FL/FLH); kick starter (FX)
- **Transmission:** 4-speed constant-mesh; right-foot shift; chain final drive; dry multi-plate clutch
- **Brakes:** FL/FLH: front disc, rear drum; FX: front and rear 254 mm discs
- **Wheels:** FL/FLH: 16-inch wire-spoked wheels; FX: 19-inch front, 16-inch rear wire wheels

Identification: Engine Serial and VIN

For 1966 through 1969, ownership identification is the engine serial number stamped on the left engine case. From 1970, Harley-Davidson used a nine-character VIN: the first two characters identify the model, the next five are the production sequence, and the last two are the model year (H0–H9 = 1970–1979, J0 = 1980). From 1981, the federal 17-digit VIN applies (10th character = model year).

SAMPLE EXCERPT — full guide available at the link on the cover sheet

Nine-character VIN model codes (1970-1980 era)

Code	Model	Years
1A	FL-1200	1966–1973 (74 ci dresser)
2A	FLH-1200	1966–1980 (74 ci Electra Glide)
2C	FX-1200	1971–1974 (74 ci Super Glide)
2D	FX-1200	1975–1976 (74 ci Super Glide)
2E	FX-1200	1977 (74 ci Super Glide)
9D	FXE-1200	1974–1977 (74 ci Super Glide, electric start)
2F	FXS-1200	1977–1978 (74 ci Low Rider)
4F	FXS-80	1979–1980 (80 ci Low Rider)
6F	FXEF	1979 (Fat Bob)
7F	FXEF-80	1979–1980 (80 ci Fat Bob)
5F	FXE-80	1979–1980 (80 ci Super Glide)
3G	FLH-80	1978–1984 (80 ci Electra Glide)
5G	FLT-80	1980–1983 (80 ci Tour Glide)
6G	FXE-80	1981 (80 ci Super Glide)
7G	FXWG-80	1980–1984 (80 ci Wide Glide)
8G	FXB-80	1980–1982 (80 ci Sturgis)

Nine-character year codes: 1970 = H0, 1971 = H1, 1972 = H2, 1973 = H3, 1974 = H4, 1975 = H5, 1976 = H6, 1977 = H7, 1978 = H8, 1979 = H9, 1980 = J0.

Federal 17-digit years: The 10th character of the 17-digit federal VIN is the model-year code: 1981 = B, 1982 = C, 1983 = D, 1984 = E.

What to Check Before You Buy

FLH brake originality. The front-disc/rear-drum 1973 FLH is a one-year combination — verify before paying a premium; many have been converted to rear disc.

Turn-signal correctness. Reproduction signals are everywhere; originals are date-coded — check the parts book for the correct housings and mounts.

Record-year volume. High 1973 volume means more survivors — be picky about originality; the premium belongs to unmolested examples.

Paint and Finishes

- Verify the bike's original color against the year parts book (Painted Parts section); repaint in a non-factory color is the single biggest value deduction on a restored bike.
- **Hidden original paint:** check under the seat, inside the side covers, and behind badges for the original finish before trusting any color claim.

SAMPLE EXCERPT — full guide available at the link on the cover sheet

Production

1973 production reached a record high under AMF management (documented auction-marque note); no model-by-model figure was published in the sources consulted.

The Technical Restoration Content

Casting and date codes

Engine cases, cylinders, and heads carry casting numbers and date codes. A factory-correct restoration matches casting numbers to the model year and checks date codes against the build date — parts cast months after the bike's assembly date are replacements. Photograph every casting number before disassembly; the year parts book lists the correct numbers.

Torque specs

Do not use torque values from memory or from generic charts. Head bolts, case bolts, and critical fasteners are torque-to-yield or angle-sensitive on these engines, and published values vary between sources. Use the year-correct Harley-Davidson factory service manual for every torque value, and follow its sequence. If you cannot verify a number, follow the factory manual procedure — a wrong torque value breaks cases.

Gaskets and seals

Shovelheads mark their territory. A restoration that aims at correctness uses the right gasket materials for the year (cork, paper, or composition as the parts book specifies), and a restoration that aims at riding replaces every seal in the primary, the rocker boxes, and the pushrod tubes as a matter of course. Budget for it; there is no cheap way around it.

The top end

The Shovelhead's aluminum heads are its glory and its weakness. Check valve guides, seats, and the head gasket surface before committing to machine work. Overheating history shows in discolored fins and pulled head-bolt inserts — both are repairable, both cost money, and both should be found before paint.

The bottom end

The 1966–1969 generator lower end and the 1970-on cone lower end share the Shovelhead top end but differ in the timing chest, oiling, and charging system — parts do not freely interchange between the generations. Verify the case casting against the model year before buying a "rebuilt" engine.

Rust-prone areas

Check the frame at the steering head and swingarm pivot, the inside of the gas tanks, the fender mounting points, and the floorboard/forward-control brackets. Chrome that looks tired is usually telling the truth about the metal underneath — budget for re-chroming, not polishing.

Restoration sequence

1. Verify numbers (engine serial / VIN, title, model codes) before spending anything.
2. Assess the engine: compression, leak-down, oil pressure history.
3. Frame and sheet metal: straighten, repair, then paint — never paint before the mechanical assessment.
4. Rebuild the engine and transmission to the year-correct specification.
5. Re-chrome and re-plate to the year-correct finish.
6. Reassemble with the year parts book open — fasteners, clamps, and finishes are year-specific.

SAMPLE EXCERPT — full guide available at the link on the cover sheet

7. Final verification: every number, every code, every finish against the book.

Shop the Supplies

The parts and tools for this restoration are covered in the IronHead parts-and-tools box at ironheadguides.com. Buy the year-correct factory service manual first — it is the single most valuable tool in a Shovelhead restoration.

Sources

- Rider Magazine — Retrospective: Harley-Davidson Shovelhead 1966–1984 (Power Pac heads; 1966 FLH 60 hp @ 5,500; generator 1966–1969; alternator/points-in-timing-case from 1970) —
  `http://ridermagazine.com/retrospective-harley-davidson-shovelhead-1966-1984`
- Bonhams — documented 1966 FLH, first Shovelhead year (engine no. 66FLH2575; second-year electric start; fiberglass saddlebags) —
  `https://cars.bonhams.com/auction/24509/lot/156/1966-harley-davidson-1200cc-flh-electra-glide-engine-no-66flh2575/`
- Linkert reference — DC-7 for 1966 FL/FLH —
  `http://www.linkertcarbs.com/linkert.html`
- Lowbrow Customs — Harley-Davidson motorcycle VIN lookup/decoder chart (1970–1980 nine-character VIN; model codes; H0–H9/J0 year codes) —
  `https://www.lowbrowcustoms.com/blogs/motorcycle-how-to-guides/harley-davidson-motorcycle-vin-lookup-decoder-chart`
- Zodiac/INOA — Harley model years explained (17-digit federal VIN from 1981; 10th character = model year: B = 1981, C = 1982, D = 1983, E = 1984) —
  `https://zodiac.nl/docs/instructions/Harley`
- Mecum — 1973 FLH1200 (record production under AMF; second-year front disc; front disc + rear drum brakes) —
  `https://www.mecum.com/lots/1132625`
- Cycle World, September 1973 — new-season FLH test (disc brakes at each wheel; rectangular-section swingarm) —
  `https://magazine.cycleworld.com/article/1973/9/1/harley-davidson-flh`
- Hagerty valuation — 1973 FX: single 3.5-gallon tank and front disc brake —
  `http://www.hagerty.com/valuation-tools/harley~davidson/fx/1971/1971-harley~davidson-fx`
- Period spec-sheet data — 1973 Super Glide: front and rear 254 mm discs, Tillotson-era specs carried over —
  `https://motorcyclespecifications.com/harley-davidson-flh-1200-super-glide-1973-specs`

SAMPLE EXCERPT — full guide available at the link on the cover sheet